


Metric



Assembly example



Metric table



Dimensions in: millimeters / inches

s	b	h	Length l
∇ Linear actuator			
30 1.18	40 1.57	43.5 1.71	12 0.47
40 1.57	50 1.97	56.5 2.22	12 0.47
50 1.97	60 2.36	61.5 2.42	12 0.47

Specification



Body
Aluminum
Matte, tumbled finish **MT**

Set screw DIN 913
Stainless steel AISI 304

RoHS

Torque supports GN 296.2 are required for attaching a position indicator or a clamping plate to configurable square linear actuators. The torque supports are made of aluminum and are non-positively clamped to the linear actuator. With the open radial groove on one side, they prevent the position indicator or clamping plate from twisting.

see also...

	Page
GN 2911 Linear Actuators	XYZ
GN 2921 Linear Actuators	XYZ
GN 2931 Linear Actuators	XYZ
EN 9034 Digital Position Indicators (Electronic Counter)	QVX
EN 9534 Digital Position Indicators (Mechanical Counter)	QVX
GN 9734 Clamping Plates	QVX
GN 9234 Handwheels	QVX

Technical Information

Stainless Steel Characteristics	QVX
---------------------------------	-----

How to order

GN 296.2-30-MT

- 1 Square s
- 2 Finish

3.1
3.2
3.3
3.4
3.5
3.6
3.7
3.8
3.9
3.10

