



3 Type

- A** Mounting from the back (tapped blind hole)
- B** Mounting from the operator's side (only for $d_1 = 28$ mm)

Inch table



Dimensions in: inches - millimeters

d_1	Length $l \pm 0.01$						d_2 Thread	b_1	b_2	b_3	b_4	h_1	h_2	t min.
0.79 20.1	7.00 177.8	8.00 203.2	10.00 254.0	12.00 304.8	16.00 406.4	-	1/4 x 20	0.94 23.9	0.47 11.9	1.65 41.9	2.13 54.1	1.65 41.9	2.13 54.1	0.47 11.9
1.10 27.9	8.00 203.2	10.00 254.0	12.00 304.8	16.00 406.4	20.00 508.0	24.00 609.6	5/16 x 18	0.98 24.9	0.55 14.0	1.97 50.0	2.60 66.0	1.97 50.0	2.60 66.0	0.59 15.0

Metric table



Dimensions in: millimeters - inches

d_1	Length $l \pm 0.25$						d_2 Thread	b_1	b_2	b_3	b_4	h_1	h_2	t min.	
20 0.79	180 7.09	200 7.87	250 9.84	300 11.81	350 13.78	400 15.75	-	M 6	24 0.94	12 0.47	42 1.65	54 2.13	42 1.65	54 2.13	12 0.47
28 1.10	200 7.87	250 9.84	300 11.81	350 13.78	400 15.75	500 19.69	600 23.62	M 8	25 0.98	14 0.55	50 1.97	66 2.60	50 1.97	66 2.60	15 0.59
30 1.18	200 7.87	300 11.81	350 13.78	400 15.75	500 19.69	600 23.62	1000 39.37	M 8	27 1.06	17 0.67	51 2.01	68 2.68	51 2.01	68 2.68	15 0.59

Specification



- Tube
Aluminum (wall thickness 1.5 mm)
 - Powder coated
Black, RAL 9005, textured finish
 - Anodized finish, natural color
 - Anodized finish, natural color
- Handle legs
Zinc die-cast
Powder coated, textured finish
 - Black, RAL 9005 (for SW / EL)
 - Silver, RAL 9006 (for ES)
- Covers
Plastic, light gray
- Cover caps (Type B)
Plastic
 - Black (for SW / EL)
 - Light gray (for ES)
- Load Rating Information → page 2068
- RoHS compliant

- **SW**
- **EL**
- **ES**

Information

The handle tube of the GN 333 tubular handles can be screwed to the handle bases without further machining or processing, allowing special lengths to be realised easily.

A typical application area for tubular handles GN 333 are double-winged doors at machines or devices.

Further handle legs can be added for very long tubular handles. Individual handle legs for tubular handles $\varnothing 28$ (type A) are available under GN 333.8.

see also...

- Product Family Standard Parts for Profile Systems → page 18
- Tubular Handles GN 333.1 (with Straight Legs) → page 164
- Tubular Handles GN 332 (with Power switching Function) → page 170

Accessory

- Angled handle legs GN 333.8 → www.jwwinco.com

How to order	
1	Handle diameter d_1
2	Length l
3	Type
4	Finish

GN 333-0.79-7.00-A-EL