



Inch table

Dimensions in: inches - millimeters

d ₁	l ₁ Nominal length		d ₂	d ₃	l ₂	l ₃	A/F
	in	mm					
10 x 24	0.250 6.4	0.625 15.9	0.125 3.2	0.125 3.2	0.047 1.2	0.047 1.2	0.094
1/4 x 20	0.375 9.5	0.750 19.1	0.125 3.2	0.125 3.2	0.047 1.2	0.063 1.6	0.125
5/16 x 18	0.375 9.5	0.750 19.1	0.188 4.8	0.188 4.8	0.063 1.6	0.094 2.4	0.156
3/8 x 16	0.375 9.5	1.000 25.4	0.188 4.8	0.188 4.8	0.063 1.6	0.094 2.4	0.188
1/2 x 13	0.625 15.9	1.000 25.4	0.313 8.0	0.250 6.4	0.094 2.4	0.125 3.2	0.250

Specification

- Body
Steel
- Property class 5.8
- Blackened finish

- Tip
- Brass
- Plastic (Nylon 66)

**MS
KU**

- [Strength Values of Screws](#) → page 2127
- [Plastic Characteristics](#) → page 2135

• [RoHS compliant](#)

Information

WN 913.3 set screws with brass or plastic tip are used in applications where markings, pressure dents and damage to the workpiece are unacceptable.

These set screws can also be used with a variety of different hand operating components, such as levers, hand knobs, star knobs, and knurled nuts.

see also...

- [Set Screws GN 913.3 \(Metric Size\)](#) → page 1099
- [Set Screws GN 913.2 \(with Hardened Tip\)](#) → page 1101
- [Socket Set Screws GN 605 \(with Flat Ball\)](#) → page 1102
- [Set Screws GN 913.6 \(with Retaining Magnet\)](#) → page 2026

How to order

WN 913.3-1/2X13-0.625-KU

1	Thread d ₁
2	Thread length l ₁
3	Tip material